

Material Safety Data Sheet

Dual Genomic DNA Isolation Kit (Tissue)

1. IDENTIFICATION OF THE PREPARATION/SUBSTANCE AND OF THE COMPANY

Preparation Name: Dual Genomic DNA Isolation Kit (Tissue)

Catalogue number of the product: NA019-0100

Use of the preparation:

For laboratory use.

Suitable as the stain for preparing DNA ladders and samples for loading on the agarose or polyacrylamide gels.

Company identification:

GeneDireX Inc. 5348 Vegas Dr. Las Vegas City, Nevada 89108, USA

Website: <http://www.genedirex.com>

E-mail: info@genedirex.com

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredients:

Edetic Acid; CAS-No. 6381-92-6

Sodium Dodecyl Sulphate; CAS-No. 151-21-3

Guanidine Hydrochloride; CAS-No. 50-01-1

Other components:

Components not listed here are not dangerous or their concentrations do not exceed the limits specified in the EU directive 1999/45/EC.

3. HAZARD IDENTIFICATION

Edetic Acid:

Warning! Causes respiratory tract irritation. Causes eye and skin irritation. May cause kidney damage. May cause reproductive and fetal effects.

Target Organs: Kidneys, eyes, skin.

Potential Health Effects

Eye: Causes eye irritation. Causes redness and pain.

Skin: Causes skin irritation. Causes redness and pain.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Ingestion of large amounts can cause hypocalcemic tetany due to formation of calcium complexes.

Exposure may cause kidney injury, muscle cramps, bone-marrow depression, and a generalized allergic reaction. Ingestion of large quantities may cause appreciable systemic toxicity involving blood chemistry changes due to chelation properties.

Inhalation: Causes irritation of the mucous membrane and upper respiratory tract.

Chronic: May cause reproductive and fetal effects. Laboratory experiments have resulted in mutagenic effects.

Chronic exposure may cause kidney damage.

Sodium Dodecyl Sulphate:

WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN OR RESPIRATORY REACTION. FLAMMABLE SOLID.

Health Rating: 1 - Slight

Flammability Rating: 3 - Severe (Flammable)

Reactivity Rating: 1 - Slight

Material Safety Data Sheet

Contact Rat ng: 3 - Severe (Life)

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES

Storage Color Code: Red (Flammable)

Potential Health Effects

Inhalation:

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath.

May cause allergic reaction in sensitive individuals.

Ingestion:

Large doses may cause gastrointestinal distress, nausea and diarrhea.

Skin Contact:

Mildly irritating to skin, causes dryness and a rash on continued exposure.

May cause allergic skin reactions.

Eye Contact:

Causes irritation, redness, and pain.

Chronic Exposure:

Chronic exposure may cause skin effects.

Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or impaired respiratory function may be more susceptible to the effects of the substance.

Guanidine Hydrochloride:

WARNING! CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. HARMFUL IF SWALLOWED OR INHALED.

Health Rating: 2 - Moderate

Flammability Rating: 1 - Slight

Reactivity Rating: 0 - None

Contact Rating: 2 - Moderate

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Green (General Storage)

Potential Health Effects

Inhalation:

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath.

Ingestion:

Toxic. May cause neurological disturbances. Causes irritation to the gastrointestinal tract.

Symptoms may include nausea, vomiting and diarrhea.

Skin Contact:

Causes irritation to skin. Symptoms include redness, itching, and pain.

Eye Contact:

Causes irritation, redness, and pain.

4. FIRST-AID MEASURES

Edetic Acid:

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Ingestion: Never give anything by mouth to an unconscious person. Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

